Mathematical Association of America American Mathematics Competitions



61st Annual

AMC 12 A

American Mathematics Contest 12A

Tuesday, February 9, 2010

INSTRUCTIONS

- 1. DO NOT OPEN THIS BOOKLET UNTIL YOUR PROCTOR TELLS YOU.
- 2. This is a twenty-five question multiple choice test. Each question is followed by answers marked A, B, C, D and E. Only one of these is correct.
- 3. Mark your answer to each problem on the AMC 12 Answer Form with a #2 pencil. Check the blackened circles for accuracy and erase errors and stray marks completely. Only answers properly marked on the answer form will be graded.
- 4. SCORING: You will receive 6 points for each correct answer, 1.5 points for each problem left unanswered, and 0 points for each incorrect answer.
- 5. No aids are permitted other than scratch paper, graph paper, rulers, protractors, and erasers. No calculators are allowed. No problems on the test will *require* the use of a calculator.
- 6. Figures are not necessarily drawn to scale.
- 7. Before beginning the test, your proctor will ask you to record certain information on the answer form.
- 8. When your proctor gives the signal, begin working on the problems. You will have **75 minutes** to complete the test.
- 9. When you finish the exam, sign your name in the space provided on the Answer Form.

The Committee on the American Mathematics Competitions (CAMC) reserves the right to re-examine students before deciding whether to grant official status to their scores. The CAMC also reserves the right to disqualify all scores from a school if it is determined that the required security procedures were not followed.

Students who score 100 or above or finish in the top 5% on this AMC 12 will be invited to take the 28th annual American Invitational Mathematics Examination (AIME) on Tuesday, March 16, 2010 or Wednesday, March 31, 2010. More details about the AIME and other information are on the back page of this test booklet.

The publication, reproduction or communication of the problems or solutions of the AMC 12 during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination via copier, telephone, e-mail, World Wide Web or media of any type during this period is a violation of the competition rules. After the contest period, permission to make copies of problems in paper or electronic form including posting on web-pages for educational use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear the copyright notice.

© 2010 Mathematical Association of America

2010-Problems-AMC12A.indd 1 12/2/2009 10:50:31 AM

2010 AMC 12 CONTEST A

DO NOT OPEN UNTIL TUESDAY, FEBRUARY 9, 2010


Administration On An Earlier Date Will Disqualify Your School's Results

- 1. All information (Rules and Instructions) needed to administer this exam is contained in the TEACHERS' MANUAL, which is outside of this package. PLEASE READ THE MANUAL BEFORE FEBRUARY 9, 2010. Nothing is needed from inside this package until February 9.
- Your PRINCIPAL or VICE-PRINCIPAL must verify on the AMC 12 CERTIFICATION FORM (found in the Teachers' Manual) that you followed all rules associated with the conduct of the exam.
- 3. The Answer Forms must be mailed First Class to the AMC office no later than 24 hours following the exam.
- 4. The publication, reproduction or communication of the problems or solutions of this test during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination at any time via copier, telephone, e-mail, World Wide Web or media of any type is a violation of the competition rules.

The American Mathematics Competitions	
are Sponsored by	
The Mathematical Association of America — MAAwww.maa.org, The Akamai Foundationwww.akamai.com,	₹/
The Akamai Foundationwww.akamai.com	í/
Contributors	
Academy of Applied Sciences — AASwww.aas-world.org American Mathematical Association of Two-Year Colleges — AMATYCwww.amatyc.org	rg
American Mathematical Association of Two-Year Colleges — AMATYC www.amatyc.org	rg
American Mathematical Society — AMS www.ams.org	rg
American Statistical Association — ASA	rg
Art of Problem Solving — AoPS	m
Awesome Mathwww.awesomemath.org	rg
Canada/USA Mathcamp — C/USA MCwww.mathcamp.org	rg
Casualty Actuarial Society — CAS www.casact.org	rg
IDEA Mathwww.ideamath.org	rg
Institute for Operations Research and the Management Sciences — INFORMS www.informs.org	
MathPathwww.mathpath.org	rg
Math Zoom Academywww.mathzoom.org Mu Alpha Theta — MATwww.mualphatheta.org	rg
Mu Alpha Theta — MAT www.mualphatheta.org	rg
National Council of Teachers of Mathematics — NCTM www.nctm.org	rg
Pi Mu Epsilon — PME www.pme-math.org	rg
Society of Actuaries — SOAwww.soa.org	rg
U. S. A. Math Talent Search — USAMTS www.usamts.org	rg
W. H. Freeman and Companywww.whfreeman.com	
Wolfram Research Incwww.wolfram.com	m

2010-Problems-AMC12A.indd 2 12/2/2009 10:50:35 AM

- 1. What is (20 (2010 201)) + (2010 (201 20))?
 - (A) -4020
- **(B)** 0
- **(C)** 40
- **(D)** 401
- **(E)** 4020
- 2. A ferry boat shuttles tourists to an island every hour starting at 10 AM until its last trip, which starts at 3 PM. One day the boat captain notes that on the 10 AM trip there were 100 tourists on the ferry boat, and that on each successive trip, the number of tourists was 1 fewer than on the previous trip. How many tourists did the ferry take to the island that day?
 - (A) 585
- **(B)** 594
- (C) 672
- **(D)** 679
- **(E)** 694
- 3. Rectangle ABCD, pictured below, shares 50% of its area with square EFGH. Square EFGH shares 20\% of its area with rectangle ABCD. What is $\frac{AB}{AD}$?



- (A) 4
- **(B)** 5
- (C) 6
- (D) 8
- (E) 10
- 4. If x < 0, then which of the following must be positive?
 - (A) $\frac{x}{|x|}$ (B) $-x^2$ (C) -2^x (D) $-x^{-1}$ (E) $\sqrt[3]{x}$

- 5. Halfway through a 100-shot archery tournament, Chelsea leads by 50 points. For each shot a bullseye scores 10 points, with other possible scores being 8, 4, 2, and 0 points. Chelsea always scores at least 4 points on each shot. If Chelsea's next n shots are bulleyes she will be guaranteed victory. What is the minimum value for n?
 - (A) 38
- **(B)** 40
- (C) 42
- (D) 44
- **(E)** 46
- 6. A palindrome, such as 83438, is a number that remains the same when its digits are reversed. The numbers x and x + 32 are three-digit and four-digit palindromes, respectively. What is the sum of the digits of x?
 - (A) 20
- **(B)** 21
- (C) 22
- (D) 23
- **(E)** 24

3

7. Logan is constructing a scaled model of his town. The city's water tower stands 40 meters high, and the top portion is a sphere that holds 100,000 liters of water. Logan's miniature water tower holds 0.1 liters. How tall, in meters, should Logan make his tower?

(A) 0.04 (B) $\frac{0.4}{\pi}$ (C) 0.4 (D) $\frac{4}{\pi}$ (E) 4

8. Triangle ABC has $AB = 2 \cdot AC$. Let D and E be on \overline{AB} and \overline{BC} , respectively, such that $\angle BAE = \angle ACD$. Let F be the intersection of segments AE and CD, and suppose that $\triangle CFE$ is equilateral. What is $\angle ACB$?

(A) 60° (B) 75° (C) 90° (D) 105° (E) 120°

9. A solid cube has side length 3 inches. A 2-inch by 2-inch square hole is cut into the center of each face. The edges of each cut are parallel to the edges of the cube, and each hole goes all the way through the cube. What is the volume, in cubic inches, of the remaining solid?

(A) 7 (B) 8 (C) 10 (D) 12 (E) 15

10. The first four terms of an arithmetic sequence are p, 9, 3p-q, and 3p+q. What is the $2010^{\rm th}$ term of this sequence?

(A) 8041 (B) 8043 (C) 8045 (D) 8047 (E) 8049

11. The solution of the equation $7^{x+7} = 8^x$ can be expressed in the form $x = \log_b 7^7$. What is b?

(A) $\frac{7}{15}$ (B) $\frac{7}{8}$ (C) $\frac{8}{7}$ (D) $\frac{15}{8}$ (E) $\frac{15}{7}$

12. In a magical swamp there are two species of talking amphibians: toads, whose statements are always true, and frogs, whose statements are always false. Four amphibians, Brian, Chris, LeRoy, and Mike live together in this swamp, and they make the following statements.

Brian: "Mike and I are different species."

Chris: "LeRoy is a frog." LeRoy: "Chris is a frog."

Mike: "Of the four of us, at least two are toads."

How many of these four amphibians are frogs?

(A) 0 (B) 1 (C) 2 (D) 3 (E) 4

4

13. For how many integer values of k do the graphs of $x^2 + y^2 = k^2$ and xy = k not intersect?

(A) 0 (B) 1 (C) 2 (D) 4 (E) 8

14. Nondegenerate $\triangle ABC$ has integer side lengths, \overline{BD} is an angle bisector, AD=3, and DC=8. What is the smallest possible value of the perimeter?

(A) 30 (B) 33 (C) 35 (D) 36 (E) 37

15. A coin is altered so that the probability that it lands on heads is less than than $\frac{1}{2}$ and when the coin is flipped four times, the probability of an equal number of heads and tails is $\frac{1}{6}$. What is the probability that the coin lands on heads?

(A)
$$\frac{\sqrt{15}-3}{6}$$
 (B) $\frac{6-\sqrt{6\sqrt{6}+2}}{12}$ (C) $\frac{\sqrt{2}-1}{2}$ (D) $\frac{3-\sqrt{3}}{6}$ (E) $\frac{\sqrt{3}-1}{2}$

16. Bernardo randomly picks 3 distinct numbers from the set {1,2,3,4,5,6,7,8,9} and arranges them in descending order to form a 3-digit number. Silvia randomly picks 3 distinct numbers from the set {1,2,3,4,5,6,7,8} and also arranges them in descending order to form a 3-digit number. What is the probability that Bernardo's number is larger than Silvia's number?

(A) $\frac{47}{72}$ (B) $\frac{37}{56}$ (C) $\frac{2}{3}$ (D) $\frac{49}{72}$ (E) $\frac{39}{56}$

17. Equiangular hexagon ABCDEF has side lengths AB = CD = EF = 1 and BC = DE = FA = r. The area of $\triangle ACE$ is 70% of the area of the hexagon. What is the sum of all possible values of r?

(A)
$$\frac{4\sqrt{3}}{3}$$
 (B) $\frac{10}{3}$ (C) 4 (D) $\frac{17}{4}$ (E) 6

18. A 16-step path is to go from (-4,-4) to (4,4) with each step increasing either the x-coordinate or the y-coordinate by 1. How many such paths stay outside or on the boundary of the square $-2 \le x \le 2$, $-2 \le y \le 2$ at each step?

(A) 92 (B) 144 (C) 1568 (D) 1698 (E) 12,800

19. Each of 2010 boxes in a line contains a single red marble, and for $1 \le k \le 2010$, the box in the $k^{\rm th}$ position also contains k white marbles. Isabella begins at the first box and successively draws a single marble at random from each box, in order. She stops when she first draws a red marble. Let P(n) be the probability that Isabella stops after drawing exactly n marbles. What is the smallest value of n for which $P(n) < \frac{1}{2010}$?

(A) 45 (B) 63 (C) 64 (D) 201 (E) 1005

20. Arithmetic sequences (a_n) and (b_n) have integer terms with $a_1 = b_1 = 1 < a_2 \le b_2$ and $a_n b_n = 2010$ for some n. What is the largest possible value of n?

(A) 2 (B) 3 (C) 8 (D) 288 (E) 2009

21. The graph of $y = x^6 - 10x^5 + 29x^4 - 4x^3 + ax^2$ lies above the line y = bx + c except at three values of x, where the graph and the line intersect. What is the largest of those values?

(A) 4 (B) 5 (C) 6 (D) 7 (E) 8

22. What is the minimum value of $f(x) = |x-1| + |2x-1| + |3x-1| + \cdots + |119x-1|$?

(A) 49 (B) 50 (C) 51 (D) 52 (E) 53

23. The number obtained from the last two nonzero digits of 90! is equal to n. What is n?

(A) 12 (B) 32 (C) 48 (D) 52 (E) 68

24. Let $f(x) = \log_{10}(\sin(\pi x) \cdot \sin(2\pi x) \cdot \sin(3\pi x) \cdots \sin(8\pi x))$. The intersection of the domain of f(x) with the interval [0,1] is a union of n disjoint open intervals. What is n?

(A) 2 (B) 12 (C) 18 (D) 22 (E) 36

25. Two quadrilaterals are considered the same if one can be obtained from the other by a rotation and a translation. How many different convex cyclic quadrilaterals are there with integer sides and perimeter equal to 32?

(A) 560 (B) 564 (C) 568 (D) 1498 (E) 2255



WRITE TO US!

Correspondence about the problems and solutions for this AMC 12 and orders for publications should be addressed to:

American Mathematics Competitions University of Nebraska, P.O. Box 81606 Lincoln, NE 68501-1606 Phone 402-472-2257 | Fax 402-472-6087 | amcinfo@maa.org

The problems and solutions for this AMC 12 were prepared by the MAA's Committee on the AMC 12 and AMC 12 under the direction of AMC 12 Subcommittee Chair:

Prof. Bernardo M. Abrego bernardo.abrego@csun.edu

2010 AIME

The 28th annual AIME will be held on Tuesday, March 16, with the alternate on Wednesday, March 31. It is a 15-question, 3-hour, integer-answer exam. You will be invited to participate only if you score 120 or above or finish in the top 1% of the AMC 12, or if you score 100 or above or finish in the top 5% of the AMC 12. Top-scoring students on the AMC 12/12/AIME will be selected to take the 39th Annual USA Mathematical Olympiad (USAMO) on April 27 - 28, 2010. The best way to prepare for the AIME and USAMO is to study previous exams. Copies may be ordered as indicated below.

PUBLICATIONS

A complete listing of current publications, with ordering instructions, is at our web site: www.unl.edu/amc

2010-Problems-AMC12A.indd 7 12/2/2009 10:50:37 AM